

Parata™ PASS™ 300VP

Pouch Packager

As your patient volume grows, **you need a solution to power** an adherence program that can help to reduce the cost of care, improve patient outcomes, and keep your facility top of mind.



Adherence packaging that moves the needle


The Parata™ PASS™ 300VP pouch packager gives you the added flexibility to support a robust adherence packaging program with fully customizable medication pouches.


Highlighted Features:

- · Minimize downtime with easily swappable lower packaging unit.
- · Variable pouch sizes give you the option to customize sizes for each batch.
- Auto canisters allow for easy swapping between drugs for changing formulary and dispensing partial pills.
- Snap canisters can help increase dispensing accuracy, minimize pill waste, and allow for quick and easy drug exchanges.

Parameters	Specifications		
Capacity	Up to 300 canisters (or unique NDCs) at one time		
Power/Space Requirements	PASS [™] packager: One dedicated 120V / 60Hz outlet within 6 feet of the packager. PASS Ware [™] workstation: Connection to uninterruptable power supply (UPS) and access to 120 V / 15A / 60Hz outlets located within 6 feet of the unit with a direct connection.		
Network Requirements	Ethernet RJ-45 (Cat V)		
Included with your Purchase of a Parata PASS™ Packager	 NDC canisters (300) and labels Auto canisters in unit (2) Special tablet trays (3) Laser printer (1) and Dymo printer (1) 	 Precisa LS 2200C Scale Cleaning kit Parata PASS Ware™ license and workstation 	
Optional Complements	 Parata PASS Safe Loader™ lighted tray Parata Perl™ pouch inspector Parata Pivot™ workflow software Additional lower packaging unit 	Snap Canister build kitAdditional auto canistersBP Winder	

Parata[™] PASS[™] 300VP Variable Pouch Packager





Dimensions	Width (in)	Height (in)	Depth (in)	
Packager	39	85	35	
Total Space	111	91*	103	
You'll also need counter space for the PASS" Ware workstation. *During assembly, 105" height space is needed.				
Weight		Unloaded (lb)	Unloaded (lb)	
Packager		1.322	1.322	